



UNITED STATES PATENT AND TRADEMARK OFFICE

Lee

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/675,215	09/30/2003	Alexander A. Maltsev	884.782US1	9929

21186 7590 11/27/2007
SCHWEGMAN, LUNDBERG & WOESSNER, P.A.
P.O. BOX 2938
MINNEAPOLIS, MN 55402

EXAMINER

FLORES, LEON

ART UNIT	PAPER NUMBER
----------	--------------

2611

MAIL DATE	DELIVERY MODE
-----------	---------------

11/27/2007

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No.

10/675,215

Applicant(s)

MALTSEV ET AL.

Examiner

Leon Flores

Art Unit

2611

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 21 September 2007.
- 2a) ☐ This action is FINAL. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-30 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-30 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☒ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 30 September 2003 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|---|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Response to Arguments

1. Applicant's arguments with respect to claims 1-30 have been considered but are moot in view of the new ground(s) of rejection.

Specification

2. The disclosure is objected to because of the following informalities:
In claims 1, 15, 22, and 28, the applicant discloses the limitation of "applying the phase compensation estimate to channel equalized subcarriers of the data symbol". However, the applicant does not disclose in the specifications why do we need to apply phase compensation after the channel equalizer. Furthermore, one skilled in the art would know that the channel equalizer already compensate for these channel impairments. (amplitude and phase) Appropriate correction is required.

Claim Rejections - 35 USC § 103

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

4. The factual inquiries set forth in *Graham v. John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

Art Unit: 2611

1. Determining the scope and contents of the prior art.
2. Ascertaining the differences between the prior art and the claims at issue.
3. Resolving the level of ordinary skill in the pertinent art.
4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

5. Claims (1-5, 18-19, 22, and 28-30) are rejected under 35 U.S.C. 103(a) as being unpatentable over Kim (US Publication 2003/0063558 A1) in view of Peeters et al. (hereinafter Peeters) (US Patent 6,628,738 B1)

Re claim 1, Kim discloses a method comprising: applying the phase compensation estimate to channel equalized subcarriers of the data symbol in the frequency domain after performance of a Fourier transform on the data symbol. (See fig. 1: 140, 150, 160, & paragraph 7)

But the reference of Kim fails to teach generating a phase compensation estimate by recursively filtering an observation vector formed by weighted pilot subcarriers of based on channel conditions for a data symbol of an orthogonal frequency division multiplexed (OFDM) packet from pilot subcarriers within the data symbol; and wherein the pilot subcarriers are weighted to help maximize a signal to noise ratio (SNR) of the observation vector based on fading gains.

However, Peeters does. (See fig. 1 & col. 6, line 46 – col. 7, line 67) Peeters discloses generating a phase compensation estimate (In fig. 1: the input to ROTOR via the feedback) by recursively filtering an observation vector (In fig. 1, Te is passed through a filter “FIL” and CHANNEL.) formed by weighted pilot subcarriers of based on channel conditions (In fig. 1, the input to S are multiplied by WEIGHT) for a data symbol

Art Unit: 2611

of an orthogonal frequency division multiplexed (OFDM) packet from pilot subcarriers within the data symbol (See col. 4, line 55 "multi-carrier receiver").

Therefore, taking the combined teachings of Kim and Peetes as a whole. It would have been obvious to one of ordinary skills in the art to have incorporated this feature into the system of Kim, in the manner as claimed and as taught by Peeters, for the benefit of achieving phase compensation.

The combination of Kim and Peeters discloses the limitations as claimed above, except they fails to explicitly teach that wherein the pilot subcarriers are weighted to help maximize a signal to noise ratio (SNR) of the observation vector based on fading gains.

However, the reference of Peeters does suggest the teachings of a channel analyzer SNR, which measures signal-to-noise ratio for each carrier in order to estimate weights coefficients. Furthermore, one skilled in the art would know that this procedure mainly done to improve the signal-to-noise ratio at the receiver.

Therefore, it would have been obvious to one of ordinary skills in the art to have incorporated this feature into the system of Kim, as modified by Peeters, for the benefit of optimizing the communication system.

Re claim 2, the combination of Kim and Peeters further discloses that wherein the phase compensation estimate is applied after channel equalization to the channel equalized subcarriers of the data symbol in the frequency domain prior to demapping the subcarriers, (In Kim, see fig. 1) wherein channel estimate used to channel equalize

the subcarriers are determined from long training symbols of the OFDM packet. (It is notoriously well known in the art that in a OFDM system the long training symbols does the channel estimation, as shown in US Patent 7,027,530 fig. 1 and col. 2, lines 63-65)

Re claim 3, the combination of Kim and Peeters further discloses repeating generating and applying for subsequent data symbols of the OFDM packet, wherein the data symbol is comprised of a plurality of symbol modulated subcarriers, at least some of the symbol-modulated subcarriers of the plurality being the pilot subcarriers (In Peeters, see col. 11, lines 36-38), and wherein generating the phase compensation estimate comprises: weighting the pilot subcarriers based on fading gains for the pilot subcarriers (In Peeters, see fig. 1: CALC); combining the weighted pilot subcarriers in an observation vector former to generate the observation vector (In Peeters, see fig. 1: S); and recursively filtering the observation vector using a channel estimate to generate the phase compensation estimate. (In Peeters, see fig. 1: Te passes through a filter and is further multiplied by channel gains before being inputted to the ROTOR.)

Re claim 4, the combination of Kim and Peeters further discloses that wherein repeating generating the phase compensation estimate comprises: combining the pilot subcarriers of a present data symbol to generate an observation vector for the present data symbol (In Peeters, see fig. 1: S); and performing recursive filtering on the observation vector for the present data symbol using the channel estimate to generate the phase compensation estimate for the present data symbol. (In Peeters, see fig. 1:

Art Unit: 2611

Te passes through a filter and is further multiplied by channel gains before being inputted to the ROTOR.)

Re claim 5, the combination of Kim and Peeters further discloses that wherein repeating generating the phase compensation estimates comprises: combining the pilot subcarriers of a present data symbol to generate an observation vector for the present data symbol (In Peeters, see fig. 1: S); and performing recursive filtering on the observation vector for the present data symbol to generate a frequency offset estimate and the phase compensation estimates for a next data symbol. (In Peeters, see fig. 1: Te passes through a filter and is further multiplied by channel gains before being inputted to the ROTOR.)

Claim 18 is a system claim corresponding to method claim 4. Hence, the steps performed in method claim 4 would have necessitated the elements in system claim 18. Therefore, claim 18 has been analyzed and rejected w/r to claim 4 above.

Claim 19 is a system claim corresponding to method claim 4. Hence, the steps performed in method claim 4 would have necessitated the elements in system claim 19. Therefore, claim 19 has been analyzed and rejected w/r to claim 4 above.

Claim 22 is a system claim corresponding to method claim 1. Hence, the steps performed in method claim 22 would have necessitated the elements in system claim 22. Therefore, claim 22 has been analyzed and rejected w/r to claim 1 above.

Claim 28 has been analyzed and rejected w/r to claim 1 above.

Claim 29 has been analyzed and rejected w/r to claim 3 above.

Claim 30 has been analyzed and rejected w/r to claim 3 above.

1. Claims (6 & 26) are rejected under 35 U.S.C. 103(a) as being unpatentable over Kim (US Publication 2003/0063558 A1) and Peeters et al. (hereinafter Peeters) (US Patent 6,628,738 B1), as applied to claim 1 above, and further in view of Perets et al (hereinafter Perets), "A New Phase and Frequency Offset Estimation Algorithm for OFDM Systems Applying Kalman Filter", Department of Electrical Engineering-Systems, Tel Aviv University, December 2002.

Re claim 6, the combination of Kim and Peeters fails to disclose that wherein recursively filtering comprises performing extended Kalman filtering on the observation vector using the channel estimate, an additive noise power estimate, a signal to noise ratio (SNR) estimate, a priori information about a dynamic model of phase, and a phase noise power value from a phase noise spectrum of transceiver oscillators.

However, Perets does. (See sections 3 & 4) Perets discloses a method for estimating the phase and frequency offset by using an extended Kalman filter algorithm.

Art Unit: 2611

This algorithm estimates and tracks the phase and frequency offsets in an OFDM system. Furthermore, one skilled in the art would know that long and short training sequences are capable of computing these values.

Therefore, taking the combined teachings of Kim, Peeters, and Perets as a whole. It would have been obvious to one of ordinary skills in the art to have incorporated this feature into the system of Kim, as modified by Peeters, in the manner as claimed and as taught by Perets, for the benefit of achieving fast convergence and good tracking ability. (See abstract)

Claim 26 is a system claim corresponding to method claim 6. Hence, the steps performed in method claim 6 would have necessitated the elements in system claim 26. Therefore, claim 26 has been analyzed and rejected w/r to claim 6 above.

2. Claims (10-11 & 20) are rejected under 35 U.S.C. 103(a) as being unpatentable over Kim (US Publication 2003/0063558 A1) and Peeters et al. (hereinafter Peeters) (US Patent 6,628,738 B1), as applied to claim 1 above, and further in view of Perets et al (hereinafter Perets), "A New Phase and Frequency Offset Estimation Algorithm for OFDM Systems Applying Kalman Filter", Department of Electrical Engineering-Systems, Tel Aviv University, December 2002.

Re claim 10, the combination of Kim and Peeters fails to teach that wherein recursively filtering comprises: subtracting a predicted observation vector from the

Art Unit: 2611

observation vector to generate a residual vector; multiplying the residual vector by a gain matrix to generate a residual gain vector; adding the residual gain vector to a linear prediction vector to generate an estimate vector; and extracting a frequency offset estimate and the phase compensation estimate for the data symbol from the estimate vector.

However, Perets does. (See sections 3 & 4) Perets discloses a method for estimating the phase and frequency offset by using an extended Kalman filter algorithm. This algorithm estimates and tracks the phase and frequency offsets in an OFDM system. Furthermore, one skilled in the art would know that these features are obvious in extended Kalman filters.

Therefore, taking the combined teachings of Kim, Peeters, and Perets as a whole. It would have been obvious to one of ordinary skills in the art to have incorporated this feature into the system of Kim, as modified by Peeters, in the manner as claimed and as taught by Perets, for the benefit of achieving fast convergence and good tracking ability. (See abstract)

Re claim 11, the combination of Kim, Peeters, and Perets further discloses that wherein the estimate vector is a multi-dimensional vector comprised of the frequency offset estimate and the phase compensation estimate (In Perets, see sections 3 & 4), and wherein the phase compensation estimate is applied to a data symbol subsequent to performing a Fast Fourier Transform (FFT) on the data symbol. (In Peeters, see fig. 1: ROTOR)

Claim 20 is a system claim corresponding to method claim 10. Hence, the steps performed in method claim 10 would have necessitated the elements in system claim 20. Therefore, claim 20 has been analyzed and rejected w/r to claim 10 above.

3. **Claim 12 is rejected under 35 U.S.C. 103(a) as being unpatentable over Kim (US Publication 2003/0063558 A1), Peeters et al. (hereinafter Peeters) (US Patent 6,628,738 B1), and Perets et al (hereinafter Perets), “A New Phase and Frequency Offset Estimation Algorithm for OFDM Systems Applying Kalman Filter”, Department of Electrical Engineering-Systems, Tel Aviv University, December 2002, as applied to claim 10 above, and further in view of Crawford (US Publication 2002/0159533 A1).**

Re claim 12, the combination of Kim, Peeters, and Perets further discloses wherein the estimate vector is a multi-dimensional vector comprised of a frequency offset estimate and the phase compensation estimate (In Perets, see section 3 & 4).

But the combination of Kim, Peeters, and Perets fails to teach that the method further comprises rotating a phase of a serial symbol stream comprising the data symbol prior to performing a Fast Fourier Transform on the data symbol.

However, Crawford does. (See fig. 3) Crawford discloses a system for rotating the phase of the incoming signal prior to FFT processing.

Therefore, taking the combined teachings of Kim, Peeters, Perets, and Crawford as a whole. It would have been obvious to one of ordinary skills in the art to have incorporated this feature into the system of Kim, as modified by Peeters and Perets, and as taught by Crawford, for the benefit phase rotating the incoming signal.

4. Claim 7 is rejected under 35 U.S.C. 103(a) as being unpatentable over Kim (US Publication 2003/0063558 A1) and Peeters et al. (hereinafter Peeters) (US Patent 6,628,738 B1), as applied to claim 1 above, and further in view of McFarland et al. (hereinafter McFarland) (US Patent 7,027,530 B2)

Re claim 7, the combination of Kim and Peeters fails to specifically disclose that wherein the channel estimate is generated from a long training symbol of the OFDM packet, and wherein the additive noise power estimate and the SNR estimate are generated from short training symbols of the OFDM packet.

However, McFarland does. (See col. 2, lines 58-65) McFarland discloses an OFDM system that estimates and compensates for channel impairments. The system uses short training sequences for signal detection, an initial automatic gain control adjustment, diversity selection, coarse frequency offset estimation and timing synchronization. And two long training symbols for channel and fine frequency offset estimation.

Therefore, taking the combined teachings of Kim, Peeters, and McFarland as a whole. It would have been obvious to one of ordinary skills in the art to have

Art Unit: 2611

incorporated this feature into the system of Kim, as modified by Peeters, in the manner as claimed and as taught by McFarland, for the benefit of optimizing/enhancing the communication link between the transmitter and receiver.

5. Claims (8 & 27) are rejected under 35 U.S.C. 103(a) as being unpatentable over Kim (US Publication 2003/0063558 A1), Peeters et al. (hereinafter Peeters) (US Patent 6,628,738 B1), and McFarland et al. (hereinafter McFarland) (US Patent 7,027,530 B2), as applied to claim 7 above, and further in view of Crawford. (US Publication 2002/0159533 A1)

Re claim 8, the combination of Kim, Peeters, and McFarland further discloses that wherein the OFDM packet is comprised of a plurality of sequential symbol modulated subcarriers, beginning with the short training symbols modulated on a portion of the subcarriers followed by the long training symbol and a plurality of data symbols, the data symbols containing at least one known pilot subcarrier. (In McFarland, see fig. 1 & col. 2, lines 58-65)

But the combination of Kim, Peeters, and McFarland fails to disclose that wherein the channel estimate, the additive noise power estimate, the SNR estimate, and the phase noise power value are used substantially for data symbols of the OFDM packet.

However, Crawford does. (See fig. 2 & paragraphs 42-44) Crawford discloses that the channel estimate, the additive noise power estimate, the SNR estimate, and the phase noise power value are used substantially for data symbols of the OFDM packet.

Therefore, taking the combined teachings of Kim, Peeters, and Crawford as a whole. It would have been obvious to one of ordinary skills in the art to have incorporated this feature into the system of Kim, as modified by Peeters, in the manner as claimed and as taught by Crawford, for the benefit of complying with the IEEE standards. (See paragraphs 42 & 44)

Claim 27 is a system claim corresponding to method claim 8. Hence, the steps performed in method claim 8 would have necessitated the elements in system claim 27. Therefore, claim 27 has been analyzed and rejected w/r to claim 8 above.

6. Claims (9, 17 & 25) are rejected under 35 U.S.C. 103(a) as being unpatentable over Kim (US Publication 2003/0063558 A1) and Peeters et al. (hereinafter Peeters) (US Patent 6,628,738 B1), as applied to claim 1 above, and further in view of Crawford. (US Publication 2002/0159533 A1)

Re claim 9, the combination of Kim and Peeters fails to teach that wherein the method further comprises generating a channel estimate from long training symbols of the OFDM packet, and wherein weighting includes applying weights to pilot subcarriers, the weights being complex conjugates of the fading gains of the pilot subcarriers, the fading gains being determined from the channel estimate.

However, Crawford does. (See fig. 4 & paragraphs 48 & 53-54) Crawford discloses generating a channel estimate from long training symbols of the OFDM packet (See paragraph 48), and wherein weighting includes applying weights to pilot subcarriers,

Art Unit: 2611

(See fig. 4 & paragraphs 48 & 54) the weights being complex conjugates of the fading gains of the pilot subcarriers, the fading gains being determined from the channel estimate. (See paragraphs 48 & 54)

Therefore, taking the combined teachings of Kim, Peeters, and Crawford as a whole. It would have been obvious to one of ordinary skills in the art to have incorporated this feature into the system of Kim, as modified by Peeters, in the manner as claimed and as taught by Crawford, for the benefit of achieving phase error compensation.

Claim 17 is a system claim corresponding to method claim 9. Hence, the steps performed in method claim 9 would have necessitated the elements in system claim 17. Therefore, claim 17 has been analyzed and rejected w/r to claim 9 above.

Claim 25 is a system claim corresponding to method claim 9. Hence, the steps performed in method claim 25 would have necessitated the elements in system claim 25. Therefore, claim 25 has been analyzed and rejected w/r to claim 9 above.

7. Claims (13 & 14) are rejected under 35 U.S.C. 103(a) as being unpatentable over Kim (US Publication 2003/0063558 A1) and Peeters et al. (hereinafter Peeters) (US Patent 6,628,738 B1), as applied to claim 1 above, and further in view

of Kuwabara et al. (hereinafter Kuwabara) (US Publication 2001/0015954 A1) and Crawford. (US Publication 2002/0159533 A1)

Re claim 13, the combination of Kim and Peeters further discloses performing a Fast Fourier Transform (FFT) on the plurality of parallel groups of time- domain samples that represent the data symbol to generate frequency domain symbol modulated subcarriers prior to applying the phase compensation estimate (In Peeters, see fig. 1: ROTOR); demapping the data symbol after channel equalization and after applying the phase compensation estimate to generate at least a portion of a decoded bit stream. (In Kim, see fig. 1)

Although this procedure is well known in the art, the combination of Kim and Peeters fails to explicitly teach separating the pilot subcarriers from data subcarriers of the frequency domain symbol modulated subcarriers for use in generating the phase compensation estimate.

However, Kuwabara does. (See fig. 1 & paragraphs 35-37) Kuwabara disclose a receiver that separates the pilot from the data in order to compensate for the channel impairments.

Therefore, taking the combined teachings of Kim, Peeters, and Kuwabara as a whole. It would have been obvious to one of ordinary skills in the art to have incorporated this feature into the system of Kim, as modified by Peeters, in the manner as claimed and as taught by Kuwabara, for the benefit of compensating for the channel impairments. (See paragraphs 35-37)

The combination of Kim, Peeters, and Kuwabara discloses the limitations as claimed above, except they do not explicitly teach that rotating a phase of a serial symbol stream comprising the data symbol prior to performing a Fast Fourier Transform on the data symbol, the rotating based at least on the frequency offset estimate.

However, Crawford does. (See fig. 3: 302, 304, 320 & paragraphs 47 & 52) Crawford discloses rotating a phase of a serial symbol stream comprising the data symbol prior to performing a Fast Fourier Transform on the data symbol, the rotating based at least on the frequency offset estimate.

Therefore, taking the combined teachings of Kim, Peeters, Kuwabara, and Crawford as a whole. It would have been obvious to one of ordinary skills in the art to have incorporated this feature into the system of Kim, as modified by Peeters and Kuwabara, in the manner as claimed and as taught by Crawford, for the benefit of achieving de-rotation prior to the FFT. (See paragraph 52)

Re claim 14, the motivation for combining these references has already been established in claim 13 above, therefore, the combination of Kim, Peeters, Kuwabara, and Crawford further discloses that wherein the pilot subcarriers are comprised of modulated pilot symbols having known training values and modulated on a predetermined portion of subcarriers of the plurality. (In Crawford, see fig. 2 & descriptions.)

Art Unit: 2611

8. Claims (15 & 16) are rejected under 35 U.S.C. 103(a) as being unpatentable over Kim (US Publication 2003/0063558 A1) in view of Peeters et al. (hereinafter Peeters) (US Patent 6,628,738 B1), and further in view of Crawford. (US Publication 2002/0159533 A1)

Re claim 15, Kim disclose a phase tracking unit comprising: wherein the phase compensation estimate is applied to channel equalized subcarriers of the data symbol in the frequency domain after channel equalization and performance of a Fourier transform. (See fig. 1: 140, 150, 160, & paragraph 7)

But the reference of Kim fails to teach an observation vector former to weight and combine pilot subcarriers of a data symbol of an orthogonal frequency division multiplexed (OFDM) packet to generate an observation vector; and a recursive filter to recursively filter the observation vector to generate a phase compensation estimate for the data symbol, the recursive filter using a channel estimate, and a signal to noise ratio (SNR) estimate to perform the recursive filtering.

However, Peeters does. (See fig. 1 & col. 6, line 46 – col. 7, line 67) Peeters discloses an observation vector former to weight and combine pilot subcarriers of a data symbol of an orthogonal frequency division multiplexed (OFDM) packet to generate an observation vector; and a recursive filter to recursively filter the observation vector to generate a phase compensation estimate for the data symbol, the recursive filter using a channel estimate, and a signal to noise ratio (SNR) estimate to perform the recursive filtering. (See fig. 1 & claim 1)

Therefore, taking the combined teachings of Kim and Peetes as a whole. It would have been obvious to one of ordinary skills in the art to have incorporated this feature into the system of Kim, in the manner as claimed and as taught by Peeters, for the benefit of achieving phase compensation.

The combination of Kim and Peeters discloses the limitations as claimed above, except they fail to explicitly teach that wherein the observation vector former weights the pilot subcarriers based on fading gains to help maximize a signal to noise ratio (SNR) of the observation vector.

However, the reference of Peeters does suggest the teachings of a channel analyzer SNR, which measures signal-to-noise ratio for each carrier in order to estimate weights coefficients. (See fig. 1 & claim 1) Furthermore, one skilled in the art would know that this procedure mainly done to improve the signal-to-noise ratio at the receiver.

Therefore, it would have been obvious to one of ordinary skills in the art to have incorporated this feature into the system of Kim, as modified by Peeters, for the benefit of optimizing the communication system.

The combination of Kim and Peeters discloses the limitations as claimed above, except they fail to explicitly teach that the recursive filter using an additive noise power estimate and a phase noise value estimate to perform the recursive filtering.

However, Crawford does. (See fig. 4 & paragraph 44) Crawford disclose that the bandwidth of the tracking algorithm is based on phase noise suppression and additive noise due to the finite input SNR.

Therefore, taking the combined teachings of Kim, Peeters, and Crawford as a whole. It would have been obvious to one of ordinary skills in the art to have incorporated this feature into the system of Kim, as modified by Peeters, in the manner as claimed and as taught by Crawford, for the benefit of compensating for phase errors in the receiver.

Re claim 16, the combination of Kim, Peeters, and Crawford further discloses that wherein the observation vector former includes a weighting element to weight the pilot subcarriers based on the fading gains for the pilot subcarriers. (In Peeters, see fig. 1 or In Crawford, see fig. 4)

9. Claim 21 is rejected under 35 U.S.C. 103(a) as being unpatentable over Kim (US Publication 2003/0063558 A1), Peeters et al. (hereinafter Peeters) (US Patent 6,628,738 B1), and Crawford. (US Publication 2002/0159533 A1), as applied to claim 15 above, and further in view of Perets et al (hereinafter Perets), “A New Phase and Frequency Offset Estimation Algorithm for OFDM Systems Applying Kalman Filter”, Department of Electrical Engineering-Systems, Tel Aviv University, December 2002.

Re claim 21, the combination of Kim, Peeters, and Crawford further discloses that wherein wherein the phase compensator applies the phase compensation estimate to the data symbol subsequent to performing a Fast Fourier Transform on the data symbol. (In Kim, see fig. 1)

But the combination of Kim, Peeters, and Crawford fails to teach that the estimate vector is a multi- dimensional vector comprised of frequency offset and the phase compensation estimates, and wherein extracting includes extracting the phase compensation estimate for a data symbol from the estimate vector.

However, Perets does. (See sections 3 & 4) Perets discloses a method for estimating the phase and frequency offset by using an extended Kalman filter algorithm. This algorithm estimates and tracks the phase and frequency offsets in an OFDM system.

Therefore, taking the combined teachings of Kim, Peeters, Crawford, and Perets as a whole. It would have been obvious to one of ordinary skills in the art to have incorporated this feature into the system of Kim, as modified by Peeters and Crawford, in the manner as claimed and as taught by Perets, for the benefit of achieving fast convergence and good tracking ability. (See abstract)

10. Claims (23 & 24) are rejected under 35 U.S.C. 103(a) as being unpatentable over Kim (US Publication 2003/0063558 A1) and Peeters et al. (hereinafter Peeters) (US Patent 6,628,738 B1), as applied to claims 1 & 22 above, and further in view of Perets et al (hereinafter Perets), "A New Phase and Frequency Offset Estimation Algorithm for OFDM Systems Applying Kalman Filter", Department of Electrical Engineering-Systems, Tel Aviv University, December 2002.

Re claim 23, the combination of Kim and Peeters further discloses an observation vector former to combine and weight the pilot subcarriers to generate the observation vector. (In Peeters, see fig. 1)

But the combination of Kim and Peeters fails to explicitly teach a recursive filter to recursively filter the observation vector to generate a frequency offset and the phase compensation estimates for phase compensating the data symbol.

However, Perets does. (See sections 3 & 4) Perets discloses a method for estimating the phase and frequency offset by using an extended Kalman filter algorithm. This algorithm estimates and tracks the phase and frequency offsets in an OFDM system.

Therefore, taking the combined teachings of Kim, Peeters, and Perets as a whole. It would have been obvious to one of ordinary skills in the art to have incorporated this feature into the system of Kim, as modified by Peeters, in the manner as claimed and as taught by Perets, for the benefit of achieving fast convergence and good tracking ability. (See abstract)

Re claim 24, the combination of Kim, Peeters, and Perets further discloses that wherein the observation vector former includes a weighting element to weight the pilot subcarriers based on the fading gains for the pilot subcarriers prior to combining the weighted subcarriers in generating the observation vector. (In Peeters, see fig. 1)


Contact

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Leon Flores whose telephone number is 571-270-1201. The examiner can normally be reached on Mon-Fri 7-5pm Alternate Fridays off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David Payne can be reached on 571-272-3024. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

LF
November 7, 2007


DAVID C. PAYNE
SUPERVISORY PATENT EXAMINER